

8/6/1999

1 of 1

Supersedes Suppl. Spec. dated 1/12/199 &amp; 9/16/1998

**S U P P L E M E N T A L   S P E C I F I C A T I O N****A M E N D M E N T   T O   S E C T I O N   6 0 9   --   C U R B S**

**Amend** within Table 1, under Bridge curb the tolerances for the bottom area and the finished surface for concealed joints to read:

<b>TYPE</b>	<b>AREA</b>	<b>FINISHED SURFACE</b>	<b>TOLERANCE MILLIMETERS (INCHES)<sup>a</sup></b>	
<b>BRIDGE</b>		Conform to Straight Curb except as specified below.		
	Exposed surfaces	No drill holes showing; none in back face arris lines.		
	Bottom	Width equal to width of top.	+12 (+1/2)	-12 (-1/2)
	Joints:			
	Exposed	Maximum width: 13 mm (1/2 in).	+5 (+1/4)	
	Concealed	Split face to break back no more than 25 mm (1 in).		

**Amend** 2.4.2 to read:

**2.4.2** Curb paint shall be Ready-Mixed White or Yellow Traffic Paint in conformance with either 708-NH 4.11 or 708-NH 4.12, respectively.

**Amend** the first sentence of 3.2.3 to read:

**3.2.3** When painted curb is specified, the exposed surfaces of the curbing shall be painted with two coats of curb paint in accordance with the paint manufacturer's recommendations after a curb curing period that shall be as long as project conditions permit, but no sooner than seven days.

**Amend** 4.1 to read:

**4.1** Granite curb, of the type specified, except reset granite curb and setting granite curb furnished by others, will not be measured, but shall be the linear meter (linear foot) final pay quantities in accordance with 109.11 for granite curbs required as shown on the plans. Only granite curbing actually cut to a radius will be considered as curved granite curb.

**Add** to Method of Measurement:

**4.2** Reset granite curb, setting granite curb furnished by others and bituminous curb of the type specified, will be measured by the linear meter (linear foot) to the nearest 0.1 of a linear meter (linear foot) from end to end along at the lower edge of the exposed face of the curbing.

**Amend** 5.1 to read:

**5.1** Granite curb, of the type specified, except reset granite curb and setting granite curb furnished by others are final pay quantity items and will be paid for at the contract unit price per linear meter (linear foot) complete in place in accordance with 109.11. Special cutting ordered due to changes in the plans will be paid for as provided in 109.04.

**Amend** 5.2 to read:

**5.2** The accepted quantities of reset granite curb, setting granite curb furnished by others and bituminous curb, of the type specified, will be paid for at the contract unit price per linear meter (linear foot) complete in place.

**Amend** original 5.2 to be 5.3.

**Amend** original 5.3 to be 5.4.

**Amend** pay items and units by adding (F) to each item description for all items except items 609.5, 609.51, 609.55, 609.811 and 609.812.